

**Tailoring carbon nanostructures:
Unravelling the electronic properties of low-dimensional quantum solids**

Professor Thomas Pichler

Faculty of Physics, University of Vienna

日時: 2009年 6月 16日 (火) 14:45 ~ 16:00
会場: 東京大学工学部2号館2F 222号講義室

要旨

The presentation will give an overview on our current research focus on the electronic properties of low dimensional quantum solids. These properties are strongly influenced by basic correlation effects. Archetypical examples of these systems are graphene, graphite and single wall carbon nanotubes (SWCNT) which are determined by the local arrangement of their sp^2 hybridised carbon atoms, such that their character is either semi-metallic, insulating, semiconducting or metallic. Examples of the recent work on how one can analyse these electronic properties using high energy spectroscopy (electron energy-loss, photoemission and x-ray absorption spectroscopy) as a probe will be presented. Special emphasis will be given to the influence of basic correlation effects and local field corrections on the electronic properties of graphene, graphite and SWCNT. The latter exhibit for metallic tubes a Luttinger liquid behavior. Special emphasis will be on the influence of the bundling/ debundling (van der Waals interaction) and the influence of metallicity selected, i.e. purely metallic vs. purely semiconducting, SWCNT will be given. Furthermore, an overview on how to functionalize them in order to tailor their electronic structure will be given. This includes examples for the three alternative doping routes, namely, substitution, intercalation and endohedral doping (e.g. By filling with fullerenes and metallocenes) as well as examples for the growth of defined innertubes from the different precursors via a thermal nanochemical reaction. In comparison to graphite intercalation compounds, the electronic structure of doped graphene will be unravelled. For metallic functionalized nanotubes doping induced changes will be discussed in the framework of a dimensionality crossover which causes a change from a one-dimensional metal to a normal Fermi liquid. The detailed understanding of these fundamental electronic properties of functionalised graphite, SWCNT and graphene is key to their future success.



主催: 東京大学グローバルCOEプログラム「機械システム・イノベーション国際拠点」事務局
本件連絡先: 東京大学大学院工学系研究科機械工学専攻 教授 丸山茂夫
E-mail: maruyama@photon.t.u-tokyo.ac.jp Phone: 03-5841-6421
GCOE事務局 E-mail: gmsi-office@mechasys.jp Phone: 03-5841-7437