



第140回 公開セミナー/第49回実践リーダーレクチャー

Symmetric carbon nanostructures: synthesis, growth mechanism and physical properties

Dr. Hidetsugu Shiozawa

Faculty of Physics,
University of Vienna, Austria



日時: 平成25年8月1日(木) 14:00~15:00

会場: 東京大学工学部2号館 3階 31A会議室

要旨

Understanding and control of microscopic shape formation are elemental in modern material sciences. We explore novel synthesis routes to various carbon nanostructures, aiming to understand how symmetric shapes of nano carbon emerge from metal clusters. We use organometallic compounds as a single precursor to perform synthesis being confined in various dimensions ranging from nanometres to centimetres across. Inside a single-wall carbon nanotube (SWCNT), organometallic compounds react with each other to form small diameter SWCNTs [1,2]. Multi-frequency Raman spectroscopy allows the growth properties to be determined for (n, m) tubes with Fe, Co and Ni catalysts. Using various spectroscopic techniques we study electronic and magnetic properties of metal clusters inside SWCNTs [3,4]. In a macroscale reactor, the growth symmetry is determined for a given reaction temperature and density of organometallic compounds, allowing various carbon structures (spheres, tubes, bi-spirals) to be produced [5]. I will highlight our recent microscopic study and discuss the formation mechanism [6].

References

- [1] H. Shiozawa *et al.* Adv. Mater. **20**, 1443 (2008).
- [2] H. Shiozawa *et al.* Adv. Mater. **22**, 3685 (2010).
- [3] H. Shiozawa *et al.* Phys.Rev.Lett. **102**, 046804 (2009).
- [4] A. Briones-Leon *et al.* Phys. Rev. B **87**, 195435 (2013).
- [5] H. Shiozawa *et al.* Nano Lett. **11**, 160 (2011).
- [6] H. Shiozawa *et al.* Sci. Rep. **3**, 1840 (2013).

主催: 東京大学大学院工学系研究科「機械システム・イノベーション」プログラム
東京大学 実践型リーダー養成事業「イノベーションリーダー養成演習」(PCIL)
本件連絡先: 東京大学大学院工学系研究科機械工学専攻 教授 丸山 茂夫
E-mail: maruyama@photon.t.u-tokyo.ac.jp Phone: 03-5841-6421
GMSIプログラム事務局 E-mail: gmsi-office@pcil.t.u-tokyo.ac.jp Phone: 03-5841-0696